Allegory Ink Allegory Blak

Version: Rev 1

1.1 Product identifiers

Product Name Allegory Blak
Producer Allegory Ink
Product Number UPC 0-12868-87827-1
CAS-No. Not available - Mixture

1.2 Identified uses of the product and uses advised against

Identified Uses Art Ink

1.3 Details of the chemical supplier

Company Allegory Ink

Contact Email Info@allegoryink.com

1.4 Emergency phone number

Emergency phone number +1 (800) 424-9300 (CHEMTREC Emergency Telephone, 24 hrs-a-day / 7 days-a-week)

2.1 Classification of the substance or mixture according to GHS

GHS class Not a hazardous substance or mixture

While this material is not considered hazardous by the OSHA Hazard Communication Standard, this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of the product.

Classification according to Regulation (EC) No 1272/2008

Based on present data no classification and labelling is required according to Directive 1272/2008/EC and its amendments (CLP Regulation, GHS).

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

According to present data no classification and labelling is required according to Directives 67/548/EEC or 1999/45/EC.

2.2 GHS Label elements, including precautionary statements

GHS pictograms None
Signal word None
Hazard statements None
Precautionary statements None

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

NFPA ratings (scale 0 - 4)



Health - 1 Fire - 0 Reactivity - 0

HMIS ratings (scale 0 - 4)



Health - 1

Fire/flammability - 0

Reactivity/physical hazard - 0

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Complete toxicity data are not available for this specific formulation.

Potential route of overexposure to this product may include eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions.

3.1 Product mixture

Synonyms Tattoo ink, organic pigment, skin pigment

Formula Mixture

Molecular wt Mixture

CAS-No. Mixture

EC-No. Mixture

al Name	•		nt Percent
	-5	-2	Ś
ary pigment			ć
1 alcohol		-7	'n

Remarks

There are no additional hazardous ingredients greater than or equal to 1.0 wt% concentration or carcinogenic ingredients greater than or equal to 0.1 wt% concentration.

Product consists of a non-hazardous organic tattoo colorant. This ink supply contains an aqueous ink formulation. This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard Communication Standard). Carbon black is present only in a bound form in this preparation.

4.1 Description of first aid measures

General advice Consult a physician. Show this safety data sheet to the doctor in attendance.

Skin contact Not an expected skin irritant. However, keep away from open cuts and irritated skin as a

preventative measure. Consult a physician if symptoms occur.

Eye contact If eye irritation occurs, rinse thoroughly with plenty of water for at least 15 minutes and consult a

physician.

Inhalation If inhaled and symptoms develop, move person to fresh air. Consult a physician if symptoms

occur.

Ingestion Rinse mouth with water and consult a physician if symptoms occur.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are described in the labelling (see section 2.2)

and in section 11.

4.3 Indication of any immediate medical attention and special treatment needed

Other first aid No data available

^{*} Exact composition of ingredients are proprietary - contains carbon black.

5.1 Suitable (and unsuitable) extinguishing media

Suitable extinguishing media

Use alcohol-resistant foam, dry chemical or carbon dioxide. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.2 Special hazards arising from the substance or mixture

Special hazards

Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition. Decomposition products may include the follow materials: carbon dioxide, carbon monoxide, oxides.

5.3 Advice for firefighters

Protective equipment

Wear self-contained breathing apparatus for firefighting if necessary.

6.1 Personal precautions, protective equipment, and emergency procedures

Personal precautions

Consumer: Avoid contact with eyes. During manufacturing: Avoid breathing vapors, mist or gas. Ensure adequate ventilation in areas where dust can accumulate. Remove all sources of ignition and evacuate personnel to safe areas. Vapours can accumulate in low areas when dealing with large quantities. For personal protection see section 8.

6.2 Environmental precautions

Environmental precautions

For large spills to the environment during manufacturing: Prevent runoff into sewers and drains. Recover as much of the material as possible. Prevent further leakage and safe to do so.

6.3 Methods and materials for containment and cleaning up

Methods for cleanup

For small spills: Clean up by absorbing with an inert absorbable material, i.e. sand, earth, vermiculite. Product is water soluble and will aid in clean up procedure. Prevent accumulation of vapours/ dust during clean up. Keep in suitable, closed containers for disposal. Contain spillage.

For large spills during manufacturing: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal

contractor.

6.4 References to other sections

Other references

For disposal see section 13.

7.1 General hygiene considerations

General hygiene

Avoid contact with eyes. Avoid inhalation of vapor or dust. Use local exhaust or general dilution ventilation to control exposure and dust within applicable limits. Keep away from high temperatures and sources of ignition. For precautions see section 2.2. Wash hands after use.

7.2 Precautions for safe handling

Safe handling precautions

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Product may be hygroscopic and could potentially absorb moisture from the air if container is left open. Keep away from high temperatures and potential sources of ignition.

7.3 Conditions for safe storage, including any incompatibilities

Other storage conditions Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

8.1 Control and exposure limits recommended by the chemical manufacturer

OSHA standards Carbon black - OSHA Permissible Exposure Limit (PEL) - General Industry - See 29 CFR

1910.1000 Table Z-1 - 3.5 mg/m3 TWA

Isopropyl alcohol - OSHA Permissible Exposure Limit (PEL) - General Industry - See 29 CFR

1910.1000 Table Z-1 - 400 ppm (980 mg/m3) TWA

ACGIH TLV Carbon black - American Conference of Governmental Industrial Hygienists (ACGIH) Threshold

Limit Value (TLV) (2011) - 3.5 mg/m3 TWA (inhalable particulate matter)

Isopropyl alcohol - American Conference of Governmental Industrial Hygienists (ACGIH) Threshold

Limit Value (TLV) (2003) - 200 ppm (491 mg/m3) TWA - 400 ppm (984 mg/m3) STEL

NIOSH recommendations Carbon black - National Institute for Occupational Safety and Health (NIOSH) Recommended

Exposure Limit (REL) - See Appendix A and Appendix C - 3.5 mg/m3 TWA

Isopropyl alcohol - National Institute for Occupational Safety and Health (NIOSH) Recommended

Exposure Limit (REL) - 400 ppm (980 mg/m3) TWA - 500 ppm (1,225 mg/m3) STEL

8.2 Appropriate engineering controls

Engineering controls Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks

and at the end of day. During manufacturing: Use adequate ventilation where dust forms to keep concentration under exposure control limits. Keep away from high temperatures and sources of

ignition.

8.3 Individual protection measures, such as personal protective equipment

Respiratory protection For consumer use: No special protective equipment required. During manufacturing use: Where

risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government

standards such as NIOSH (US) or CEN (EU).

Eye/face protection Safety glasses with side-shields conforming to EN166 are recommended. Use equipment for eye

protection tested and approved under appropriate government standards such as NIOSH (US) or

EN 166 (EU).

Hand protection Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique

(without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices.

Wash and dry hands.

Body protection For consumer use: No special protective equipment required. Wear impervious clothing. The type

of protective equipment must be selected according to the concentration and amount of the

dangerous substance at the specific workplace.

9.1 Information on basic physical and chemical properties

a) Appearance Liquid, black

b) Odor Characteristic of the product

c) Odor threshold No data available

d) pH No data available
 e) Melting/freezing point No data available
 f) Boiling point No data available
 g) Flash point No data available

h) Evaporation rate No data availablei) Flammability (solid, gas) No data available

j) Upper/lower flammability Upper (UEL): No data available

 k) Vapor pressure No data available
 l) Vapor density No data available
 m) Relative density No data available
 n) Water solubility No data available

o) Partition coefficient No data available

octanol/water

p) Auto-ignition temp No data available
 q) Decomposition temp No data available
 r) Viscosity No data available

10.1 Reactivity

Reactivity No data available

10.2 Chemical stability

Chemical stability Stable under ordinary conditions of use and storage.

10.3 Possibility of hazardous reactions

Hazardous reactions No data available

10.4 Conditions to avoid

Conditions to avoid Contact with incompatible chemicals and exposure to extremely high temperatures.

10.5 Incompatible materials

Incompatible materials Strong oxidizers, strong acids, acid chlorides, acid anhydrides, chloroformates, or strong reducing

agents.

10.6 Hazardous decomposition products

Hazardous products None under normal processing. In the event of fire, see section 5.

11.1 Information on toxicological effects

Acute toxicity

Acute oral toxicity Carbon black - LD50 Rat Oral - > 8,000 mg/kg

Isopropyl alcohol - LD50 Rat Oral - 5,045 mg/kg

Acute intravenous toxicity No data available

Acute dermal toxicity Carbon black - LD50 Rabbit Dermal - > 3,000 mg/kg

Isopropyl alcohol - LD50 Rabbit Dermal - 12,800 mg/kg

Acute inhalation toxicity No data available

Skin corrosion/irritation

Skin corrosion irritation Not an expected skin irritant. May cause irritation to open cuts and irritated skin

Serious eye damage/eye irritation

Eye damage/eye irritation May potentially cause eye irritation if significant amounts contact the eye

Respiratory or skin sensitization

Respiratory sensitizer No data available

Skin sensitizer No data available

Germ cell mutagenicity

Mutagenicity No data available

Carcinogenicity

Carcinogenicity No data available

Suspected cancer agent

ACGIH No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen.

NTP No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen.

OSHA No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen.

IARC 2B - Group 2B: Carbon black, titanium dioxide.

Note: According to IARC Monograph Vol. 93, "End-users of these products (rubber, ink or paint) are unlikely to be exposed to airborne

carbon black particles, which are bound within the product matrix." Additionally, "No significant exposure to primary particles of titanium dioxide is thought to occur during the use of products in

which titanium dioxide is bound to other materials."

Reproductive toxicity

Reproductive toxicity No data available

Aspiration hazard

Aspiration hazard No data available

12.1 Ecotoxicity (aquatic and terrestrial)

Ecotoxicity No data available

12.2 Persistence and degradability

Degradability Product is comprised of water-soluble organic materials and is expected to be degradeable.

12.3 Bioaccumulation potential

Bioaccumulation No data available

12.4 Mobility in soil

Mobility in soil No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment Not available as chemical safety assessment not required/not conducted.

13.1 Waste treatment methods

Waste treatment disposal For consumer use, dispose of in trash can. Waste disposal must be in accordance with

appropriate Federal, State, and local regulations.

DOT

Not dangerous goods.

IMDG

Not dangerous goods.

IATA

Not dangerous goods.

15.1 Safety, health, and environmental regulations specific to the product or mixture

SARA 302 Components No chemicals in this material are subject to the reporting requirements of SARA Title III, Section

302.

SARA 313 Components This material does not contain any chemical components with known CAS numbers that exceed

the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards No hazards.

TSCA All components of this product are on the TSCA inventory or are exempt from TSCA inventory

requirements.

Canada DSL All components of this product are on the Canada Domestic Substance List or are exempt from

DSL requirements.

WHMIS classification
No ingredients are hazardous according to the CPR criteria.

CA Prop. 65 components

This product does not contain any chemicals known to State of California to cause cancer, birth

defects, or any other reproductive harm.

Hazard symbols None
Risk phrases None
Safety phrases None

International lists Australia - AICS - The materials are listed or exempted

Canada - The materials are listed or exempted
China - IECSC - The materials are listed or exempted
Europe - EINECS - The materials are listed or exempted
Japan - ENCS/ISHL - The materials are listed or exempted

Malaysia - The materials are listed or exempted

New Zealand - NZIoC - The materials are listed or exempted Philippines - PICCS - The materials are listed or exempted Korea - KECI - The materials are listed or exempted Taiwan - NECI - The materials are listed or exempted

Turkey - The materials are listed or exempted United States - The materials are listed or exempted

Annex XIV List of substances subject to authorization - none of the components are listed.

Substances of very high concernNone of the components are listed.

Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

mixtures and articles - none of the components are listed.

Europe inventory The materials are listed or exempted

Seveso Directive This product is not controlled under the Seveso Directive.

Chemical Weapon Convention List Schedules I, II & III Chemicals - not listed.

Montreal Protocol (Annexes A, B, C, E) - not listed.

Stockholm Convention Persistent Organic Pollutants - not listed.

Rotterdam Convention Prior Inform Consent (PIC) - not listed.

UNECE Aarhus Protocol POPs and Heavy Metals - not listed.

HMIS Rating Health hazard: 1

Flammability: 0 Physical Hazard 0

NFPA Rating Health hazard: 1

Fire Hazard: 0 Reactivity Hazard: 0

Revision Date 15 May 2019

The information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. Allegory Ink assumes no responsibility for injury to the vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Additionally, Allegory Ink assumes no responsibility for injury to vendee or third persons proximately caused by use of the material even if reasonable safety procedures are followed. Furthermore, vendee assumes the risk in his use of the material.

Abbreviations and acronyms IMDG - International Maritime Code for Dangerous Goods

- TDG Transportation of Dangerous Goods
- IATA International Air Transport Association
- GHS Globally Harmonized System of Classification and Labelling of Chemicals
- PBT Persistent, bioaccumulative and toxic assessment
- vPvB Very persistent and very bioaccumulative assessment
- ACGIH American Conference of Governmental Industrial Hygienists
- NIOSH National Institute for Occupational Safety and Health
- TLV Threshold Limit Values
- CAS Chemical Abstracts Service (division of the American Chemical Society)
- NFPA National Fire Protection Association
- HMIS Hazardous Materials Identification System
- CFR Code of Federal Regulations
- SARA Superfund Amendments and Reauthorization Act
- DOT US Department of Transportation
- EC50 Half maximal effective concentration
- LD50 Median lethal dose
- LC50 Median lethal concentration
 - SDS Safety Data Sheet
 - PEL Permissible Exposure Limit
 - TSCA Toxic Substances Control Act